


NOVA ZERO RAILING SYSTEM CARPORT SYSTEM





NOVA ZERO RAILINGCARPORT SYSTEM

A new standard in simplicity and innovation with the NOVA ZERO Railing Carport System. Engineered for easy assembly, our modular design is available as a single and double car spaces. The modularized design makes it easy to extend the carport system to accommodate more cars. Additionally, our carport systems feature an integrated water gutting system that ensures proper drainage of rainwater.



Integrated Water Gutters

Ensure the long-term durability of your solar carport with our seamlessly integrated water guttering system. By directing rainwater away from your vehicle and the structure, this system prevents potential damage and simplifies maintenance.



Safe & Simple Installation

Seamless and secure installation process, Eliminating the need to ascend on top of the structure, our thoughtfully engineered components streamline the setup without compromising safety.



Superior Corrosion Resistance

Rely on our Solar Carport Systems crafted from materials chosen for their exceptional corrosion resistance. Weather any conditions with confidence, knowing that your investment is protected against rust and corrosion, providing a durable and longlasting solution.



No Car Door obstruction

Embrace freedom with our innovative design that ensures no obstructions for your car doors. Effortlessly access your vehicle without any hindrance, enhancing the overall user experience.









ASSEMBLY MADESIMPLE, FAST & SAFE

UPRIGHT SUPPORT

The upright supports come preassembled with the base plate, ensuring swift and effortless installation onto the foundation.

*Upright supports available in Aluminium or Steel.

STRUCTURAL PURLINS

The 5 structural purlins come preassembled with connecting brackets and are conveniently labeled for ease of assembly.

NOVA ZERO RAILING The innovative rail design featuring integrated water guttering syst


The innovative rail design featuring integrated water guttering system, easily attaching onto the structural purlins with the rail clamp, eliminating the need for drilling.

✓ SOLAR PANELS

Install solar panels simply by sliding them from underneath the structure onto the rail and securing with underside panel clamps.



TECHNICAL DATA SINGLE & DOUBLE





Car Space



Number of Modules



Application

Ground & Flat Surface



Module Type

Framed

Mono & Bi-facial



Material

Aluminum 6005-T5 Zinc Aluminum Magnesium



Module Size LxW (mm)

L1705-1805 x W1134*



Carport Pitch



Module Thickness (mm)

28-40



Carport Entrance

2,35m



Module Orientation

Portrait



Carport Roof Area



Warranty

25 years

*Width (W) must remain the same

For all other module sizing - contact for customized solution.